supreme

Canadian Price List *Revised: May 2020*





| PRODUCT CODE | | MRSP |
|--------------|--|-------------|
| 24AT-01 | Astra 24 — Metallic Black* Fresh air adaptor / 130CFM blower / in-wall variable speed control Included | \$ 3,312.75 |

REQUIRED

| 24ATFA-11 | Traditional Surround – Metallic Black* | \$ 270.38 |
|-----------|--|-----------|
|-----------|--|-----------|

ADDITIONAL OPTIONS

| SU250 | Hot Air Distribution Kit – 245 CFM blower included | \$ 429.78 |
|-------|---|-----------|
| UCAC5 | 5" Insulated Duct, 25 ft. – Required with the installation of a SU250 | \$ 129.21 |
| UPEA4 | Fresh Air Kit | \$ 67.61 |
| 6CON | Prefabricated Chimney to Liner Adaptor | \$ 76.51 |

| Heat Capacity: | Up to 1,500 ft ² |
|----------------------|---|
| Maximum Heat Output: | Up to 75,000 BTUs |
| EPA Firebox Size: | 2.4 ft ³ |
| Chimney: | 6" UL 103 / ULC S629 refer to the manual for the complete list. |
| Certifications: | EPA 2020, 28 & 5G Opt 3,UL 127-2011 / ULC S610-M87 |
| Emissions: | 1.8 g/hr (crib wood) |
| Glass dimensions: | 24" X 13½" |
| | |



| _ | PRODUCT CODE | | MRSP |
|---|--------------|--|-------------|
| | 24AT-01 | Astra 24 — Metallic Black* Fresh air adaptor / 130CFM blower / in-wall variable speed control Included | \$ 3,312.75 |

REQUIRED

| 24ATFA-12 | Clean Face Surround – Metallic Black* | \$ 177.68 |
|-----------|--|-----------|
| KG540 | Square Vent Kit | \$ 92.70 |
| UCAC8 | 8" Insulated Duct, 10 ft. – 2 are required | \$ 136.27 |

ADDITIONAL OPTIONS

| SU250 | Hot Air Distribution Kit — 245 CFM blower included | \$ 429.78 |
|-------|---|-----------|
| UCAC5 | 5" Insulated Duct, 25 ft. – Required with the installation of a SU250 | \$ 129.21 |
| UPEA4 | Fresh Air Kit | \$ 67.61 |
| 6CON | Prefabricated Chimney to Liner Adaptor | \$ 76.51 |

| Heat Capacity: | Up to 1,500 ft ² |
|----------------------|---|
| Maximum Heat Output: | Up to 75,000 BTUs |
| EPA Firebox Size: | 2.4 ft ³ |
| Chimney: | 6" UL 103 / ULC S629 refer to the manual for the complete list. |
| Certifications: | EPA 2020, 28 & 5G Opt 3,UL 127-2011 / ULC S610-M87 |
| Emissions: | 1.8 g/hr (crib wood) |
| Glass dimensions: | 24" X 13½" |



PRODUCT CODE

MRSP

| 32AT-01 | Astra 32 — Metallic Black* Fresh air adaptor / 130CFM blower / in-wall variable speed control Included | \$ 3,996.40 |
|---------|--|-------------|
|---------|--|-------------|

REQUIRED

| | 3238ATFA-11 | Traditional Surround – Metallic Black* | \$ 309.00 |
|--|-------------|--|-----------|
|--|-------------|--|-----------|

ADDITIONAL OPTIONS

| 3238SF_FS | Fire Screen Rectangular Door | \$ 290.00 |
|-----------|---|-----------|
| SU250 | Hot Air Distribution Kit – 245 CFM blower included | \$ 429.78 |
| UCAC5 | 5" Insulated Duct, 25 ft. – Required with the installation of a SU250 | \$ 129.21 |
| UPEA4 | Fresh Air Kit | \$ 67.61 |
| 6CON | Prefabricated Chimney to Liner Adaptor | \$ 76.51 |

| Heat Capacity: | Up to 2,000 ft ² |
|----------------------|---|
| Maximum Heat Output: | Up to 100,000 BTUs |
| EPA Firebox Size: | 3.2 ft ³ |
| Chimney: | 6" UL 103 / ULC S629 refer to the manual for the complete list. |
| Certifications: | EPA 2020, 28 & 5G Opt 3,UL 127-2011 / ULC S610-M87 |
| Emissions: | 1.5 g/hr (crib wood) |
| Glass dimensions: | 22%"X 15½" |



| PRODUCT CODE | | MIKSP |
|--------------|---|-------------|
| 32AT-01 | Astra 32 — Metallic Black* Fresh air adaptor / 130 CFM Blower / In-wall variable speed control Included | \$ 3,996.40 |
| | REQUIRED | |
| 3238AFTA-12 | Clean Face Surround - Metallic Black* | \$ 216.30 |
| | CLEAN FACE OPTION 1 | |
| KG540 | Square Vent Kit | \$ 92.70 |
| UCAC8 | 8" Insulated Duct, 10 ft. – 2 are required | \$ 136.27 |
| | CLEAN FACE OPTION 2 | |
| LV32 | Linear Vent Kit — <i>Flexible duct(2)</i> included | \$ 375.00 |
| | ADDITIONAL OPTIONS | |
| 3238SF_FS | Fire Screen Rectangular Door | \$ 290.00 |
| SU250 | Hot Air Distribution Kit — 245 CFM blower included | \$ 429.78 |
| UCAC5 | 5" Insulated Duct, 25 ft. — Required with the installation of a SU250 | \$ 129.21 |
| UPEA4 | Fresh Air Kit | \$ 67.61 |
| 6CON | Prefabricated Chimney to Liner Adaptor | \$ 76.51 |

| Heat Capacity: | Up to 2,000 ft ² |
|----------------------|---|
| Maximum Heat Output: | Up to 100,000 BTUs |
| EPA Firebox Size: | 3.2 ft ³ |
| Chimney: | 6" UL 103 / ULC S629 refer to the manual for the complete list. |
| Certifications: | EPA 2020, 28 & 5G Opt 3,UL 127-2011 / ULC S610-M87 |
| Emissions: | 1.5 g/hr (crib wood) |
| Glass dimensions: | 22‰"X 15½" |



PRODUCT CODE

MRSP

| 38AT-01 | Astra 38 – Metallic Black* | \$ 4,408.40 |
|---------|---|-------------|
| 50AT-U1 | Fresh air adaptor / 260CFM blowers / in-wall variable speed control Included | Ş 4,400.40 |

REQUIRED

| | negomes - | |
|--------------------|---|-----------|
| 3238ATFA-11 | Traditional Surround – Metallic Black* | \$ 309.00 |
| ADDITIONAL OPTIONS | | |
| 3238SF_FS | Fire Screen Rectangular Door | \$ 290.00 |
| SU250 | Hot Air Distribution Kit – 245 CFM blower included | \$ 429.78 |
| UCAC5 | 5" Insulated Duct, 25 ft. – Required with the installation of a SU250 | \$ 129.21 |
| UPEA4 | Fresh Air Kit | \$ 67.61 |
| 6CON | Prefabricated Chimney to Liner Adaptor | \$ 76.51 |

| Heat Capacity: | Up to 2,500 ft ² |
|----------------------|---|
| Maximum Heat Output: | Up to 125,000 BTUs |
| EPA Firebox Size: | 3.8 ft ³ |
| Chimney: | 6" UL 103 / ULC S629 refer to the manual for the complete list. |
| Certifications: | EPA 2020, 28 & 5G Opt 3,UL 127-2011 / ULC S610-M87 |
| Emissions: | 1.8 g/hr (crib wood) |
| Glass dimensions: | 22% "X 15½" |
| | |

*Stove Bright 6309 Metallic Black.




| PRODUCT CODE | | MRSP | |
|--------------|---|-------------|--|
| 38AT-01 | Astra 38 — Metallic Black* Fresh air adaptor / 130 CFM Blower / In-wall variable speed control Included | \$ 3,996.40 | |
| | REQUIRED | | |
| 3238AFTA-12 | Clean Face Surround – Metallic Black* | \$ 216.30 | |
| | CLEAN FACE OPTION 1 | | |
| KG540 | Square Vent Kit | \$ 92.70 | |
| UCAC8 | 8" Insulated Duct, 10 ft. – 2 are required | \$ 136.27 | |
| | CLEAN FACE OPTION 2 | | |
| LV32 | Linear Vent Kit – <i>Flexible duct(2)</i> included | \$ 375.00 | |
| | ADDITIONAL OPTIONS | | |
| 3238SF_FS | Fire Screen Rectangular Door | \$ 290.00 | |
| SU250 | Hot Air Distribution Kit – 245 CFM blower included | \$ 429.78 | |
| UCAC5 | 5" Insulated Duct, 25 ft. – Required with the installation of a SU250 | \$ 129.21 | |
| UPEA4 | Fresh Air Kit | \$ 67.61 | |
| 6CON | Prefabricated Chimney to Liner Adaptor | \$ 76.51 | |

| Heat Capacity: | Up to 2,500 ft ² |
|----------------------|---|
| Maximum Heat Output: | Up to 125,000 BTUs |
| EPA Firebox Size: | 3.8 ft ³ |
| Chimney: | 6" UL 103 / ULC S629 refer to the manual for the complete list. |
| Certifications: | EPA 2020, 28 & 5G Opt 3,UL 127-2011 / ULC S610-M87 |
| Emissions: | 1.8 g/hr (crib wood) |
| Glass dimensions: | 221/8"X 151/2" |



| PRODUCT CODE | | MRSP |
|--------------------|---|-------------|
| DT-01 | Duet See Through – Metallic Black* Fresh air adaptor / Built-in BBQ grills/ 155CFM blowers / in-wall variable speed control Included | \$ 4,275.60 |
| | REQUIRED | |
| UCAC8 | 8" Insulated Duct, 10 ft. – 2 are required | \$ 136.27 |
| ADDITIONAL OPTIONS | | |
| SU250 | Hot Air Distribution Kit – 245 CFM blower included | \$ 429.78 |
| UCAC5 | 5" Insulated Duct, 25 ft. – Required with the installation of a SU250 | \$ 129.21 |
| UPEA4 | Fresh Air Kit | \$ 67.61 |
| 6CON | Prefabricated Chimney to Liner Adaptor | \$ 76.51 |

| Heat Capacity: | Up to 2,000 ft ² |
|----------------------|---|
| Maximum Heat Output: | Up to 100,000 BTUs |
| EPA Firebox Size: | 3.1 ft ³ |
| Chimney: | 6" UL 103 / ULC S629 refer to the manual for the complete list. |
| Certifications: | EPA 28 & 5G Opt 3,UL 127-2011 / ULC S610-M87 |
| Emissions: | 3.6 g/hr (crib wood) |
| Glass dimensions: | 22¾" X 15″ |



| PRODUCT CODE | | MRSP |
|--------------------|---|-------------|
| DT-01 | Duet See Through – Metallic Black* Fresh air adaptor / Built-in BBQ grills/ 155CFM blowers / in-wall variable speed control Included | \$ 4,275.60 |
| | REQUIRED | |
| DT2317 | Block-off Shield | \$ 72.41 |
| UCAC8 | 8" Insulated Duct, 10 ft. – 2 are required | \$ 136.27 |
| ADDITIONAL OPTIONS | | |
| SU250 | Hot Air Distribution Kit – 245 CFM blower included | \$ 429.78 |
| UCAC5 | 5" Insulated Duct, 25 ft. – Required with the installation of a SU250 | \$ 129.21 |
| UPEA4 | Fresh Air Kit | \$ 67.61 |
| 6CON | Prefabricated Chimney to Liner Adaptor | \$ 76.51 |


| Heat Capacity: | Up to 2,000 ft ² |
|----------------------|---|
| Maximum Heat Output: | Up to 100,000 BTUs |
| EPA Firebox Size: | 3.1 ft ³ |
| Chimney: | 6" UL 103 / ULC S629 refer to the manual for the complete list. |
| Certifications: | EPA 28 & 5G Opt 3,UL 127-2011 / ULC S610-M87 |
| Emissions: | 3.6 g/hr (crib wood) |
| Glass dimensions: | 22¾" X 15" |
| | |



| THODOCT CODE | | ivit(S) |
|--------------|---|-------------|
| 18FN-01 | Fusion 18 — Metallic Black* Built-in BBQ grills / 110 CFM blowers / variable speed control Included | \$ 2,295.36 |
| | REQUIRED | |

| negones - | | |
|----------------|--|-----------|
| 18FNFA-01-34 | Surround 34" X 23" | \$ 203.96 |
| 18FNFA-01-36 | Surround 36″ X 24″ | \$ 220.50 |
| 18FNFA_ML42-01 | Special Overlay 42" X 30" X 1" order with 18FNFA-01-36 | \$ 165.38 |
| 18FNFA-01SS-34 | Surround With Brushed Steel Overlay 34" X 23" | \$ 369.34 |
| 18FNFA-01SS-36 | Surround With Brushed Steel Overlay 36" X 24" | \$ 385.88 |

| Heat Capacity: | Up to 1,500 ft ² |
|----------------------|--------------------------------------|
| Maximum Heat Output: | Up to 75,000 BTUs |
| EPA Firebox Size: | 1.8 ft ³ |
| Liner: | 5″ |
| Certifications: | EPA 28 & 5G Opt 3,UL 1482 / ULC S628 |
| Emissions: | 1.9 g/hr (crib wood) |
| Glass dimensions: | 22¾" X 12¼" |



PRODUCT CODE

MRSP

| FN-01 | Fusion 24 – Metallic Black* | \$ 2,410.13 | |
|-------|--|-------------|--|
| FN-01 | Built in BBQ grills / 110 CFM blowers / variable speed control Included | Υ 2,410.13 | |

REQUIRED

| FNFA-01-38 | Surround 38″ X 24″ | \$ 214.16 |
|---------------|---|-----------|
| FNFA-01-40 | Surround 40" X 26" | \$ 231.53 |
| FNFA-01-42 | Surround 42" X 28" | \$ 248.89 |
| FNFA-01-44SPE | Surround 44″ X 32″ | \$ 400.75 |
| FNFA-01SS-38 | Surround With Brushed Steel Overlay 38" X 24" | \$ 387.81 |
| FNFA-01SS-40 | Surround With Brushed Steel Overlay 40" X 26" | \$ 405.17 |
| FNFA-01SS-42 | Surround With Brushed Steel Overlay 42" X 28" | \$ 422.53 |

| Heat Capacity: | Up to 2,000 ft ² |
|----------------------|--------------------------------------|
| Maximum Heat Output: | Up to 90,000 BTUs |
| EPA Firebox Size: | 2.4 ft ³ |
| Liner: | 5″ |
| Certifications: | EPA 28 & 5G Opt 3,UL 1482 / ULC S628 |
| Emissions: | 4.4 g/hr (crib wood) |
| Glass dimensions: | 22¾″ X 12¼″ |

Free Standing Stove – Novo Series



PRODUCT CODE

| PRODUCT CODE | | MRSP |
|--------------|--|-------------|
| 18NV-11 | Novo 18 — Cast Iron — Metallic Black* Cast iron panels / 130CFM blower / variable speed control Included | \$ 2,728.00 |
| 18NV-21 | Novo 18 — Soapstone — Metallic Black* Soapstone panels / 130CFM blower / variable speed control Included | \$ 2,728.00 |

ADDITIONAL OPTIONS

| 18NVPD_01 | Elevated Podium | \$ 380.00 |
|-----------|---------------------------|-----------|
| UPEA4 | Fresh Air Kit | \$ 67.61 |
| ADP4_NV | Adaptor For Fresh Air Kit | \$ 57.75 |

CHOICE OF K-LISTED MATERIAL REQUIRED

| SOAPSTONE | REVERSIBLE CAST IRON PANEL | |
|-----------|----------------------------|--------------|
| | FLUTED DESIGN | BRICK DESIGN |

| Heat Capacity: | Up to 1,000 ft ² |
|----------------------|---|
| Maximum Heat Output: | Up to 65,000 BTUs |
| EPA Firebox Size: | 1.8 ft ³ |
| Chimney: | 6" UL 103 / ULC S629 refer to the manual for the complete list. |
| Certifications: | EPA 2020, 28 & 5G Opt 3,UL 127-2011 / ULC S627 UL 737 |
| Emissions: | 1.9 g/hr (crib wood) |
| Glass dimensions: | 17¼" X 11‰" |

Free Standing Stove – Novo Series



PRODUCT CODE

MRSP

| 24NV-11 | Novo 24 — Cast Iron — Metallic Black* Cast iron panels / 130CFM blower / variable speed control Included | \$ 3,176.00 |
|---------|---|-------------|
| 24NV-21 | Novo 24 — Soapstone — Metallic Black* Soapstone panels / 130CFM blower / variable speed control Included | \$ 3,176.00 |

ADDITIONAL OPTIONS

| 24NVPD_01 | Elevated Podium | \$ 420.00 |
|-----------|---------------------------|-----------|
| UPEA4 | Fresh Air Kit | \$ 67.61 |
| ADP4_NV | Adaptor For Fresh Air Kit | \$ 57.75 |

CHOICE OF K-LISTED MATERIAL REQUIRED

| SOAPSTONE | REVERSIBLE CAST IRON PANEL | |
|-----------|----------------------------|--------------|
| | FLUTED DESIGN | BRICK DESIGN |

| Heat Capacity: | Up to 1,500 ft ² |
|----------------------|---|
| Maximum Heat Output: | Up to 75,000 BTUs |
| EPA Firebox Size: | 2.4 ft ³ |
| Chimney: | 6" UL 103 / ULC S629 refer to the manual for the complete list. |
| Certifications: | EPA 2020, 28 & 5G Opt 3,UL 127-2011 / ULC S627 UL 737 |
| Emissions: | 1.8 g/hr (crib wood) |
| Glass dimensions: | 23¼" X 12¾" |

Free Standing Stove – Novo Series



PRODUCT CODE MRSP 38NV-11 Novo 38 – Cast Iron – Metallic Black*
Cast iron panels / 260CFM blowers / variable speed control Included \$ 3,640.00 38NV-21 Novo 38 – Soapstone – Metallic Black*
Soapstone panels / 260CFM blowers / variable speed control Included \$ 3,640.00

ADDITIONAL OPTIONS

| 38NVPD_01 | Elevated Podium | \$ 460.00 |
|-----------|---------------------------|-----------|
| UPEA4 | Fresh Air Kit | \$ 67.61 |
| ADP4_NV | Adaptor For Fresh Air Kit | \$ 57.75 |

CHOICE OF K-LISTED MATERIAL REQUIRED

| SOAPSTONE | REVERSIBLE CAST IRON PANEL | |
|-----------|----------------------------|--------------|
| | FLUTED DESIGN | BRICK DESIGN |

| Heat Capacity: | Up to 2,500 ft ² |
|----------------------|---|
| Maximum Heat Output: | Up to 125,000 BTUs |
| EPA Firebox Size: | 3.8 ft ³ |
| Chimney: | 6" UL 103 / ULC S629 refer to the manual for the complete list. |
| Certifications: | EPA 2020, 28 & 5G Opt 3,UL 127-2011 / ULC S627 UL 737 |
| Emissions: | 1.85 g/hr (crib wood) |
| Glass dimensions: | 22%"X 15½" |



PRODUCT CODE

MRSP

| VI-01 | Vision See Through — Metallic Black* Built in BBQ grills / 155CFM blowers / variable speed control Included | \$ 4,010.20 |
|-------|---|-------------|
|-------|---|-------------|

| Heat Capacity: | Up to 2,000 ft ² |
|----------------------|---|
| Maximum Heat Output: | Up to 100,000 BTUs |
| EPA Firebox Size: | 3.1 ft ³ |
| Chimney: | 6" UL 103 / ULC S629 refer to the manual for the complete list. |
| Certifications: | EPA 28 & 5G Opt 3,UL 127-2011 / ULC S627-M87 |
| Emissions: | 3.6 g/hr (crib wood) |
| Glass dimensions: | 22¾″ X 15″ |