supreme

United States Price List *Revised: May 2020*





PRODUCT CODE		MRSP
24AT-01	Astra 24 — Metallic Black* Fresh air adaptor / 130CFM blower / in-wall variable speed control Included	\$ 3,312.75

REQUIRED

24ATFA-11	Traditional Surround – Metallic Black*	\$ 270.38
-----------	--	-----------

ADDITIONAL OPTIONS

SU250	Hot Air Distribution Kit — 245 CFM blower included	\$ 429.78
UCAC5	5" Insulated Duct, 25 ft. – Required with the installation of a SU250	\$ 129.21
UPEA4	Fresh Air Kit	\$ 67.61
6CON	Prefabricated Chimney to Liner Adaptor	\$ 76.51

Heat Capacity:	Up to 1,500 ft ²
Maximum Heat Output:	Up to 75,000 BTUs
EPA Firebox Size:	2.4 ft ³
Chimney:	6" UL 103 / ULC S629 refer to the manual for the complete list.
Certifications:	EPA 2020, 28 & 5G Opt 3,UL 127-2011 / ULC S610-M87
Emissions:	1.8 g/hr (crib wood)
Glass dimensions:	24" X 13½"



PRODUCT CODE		MRSP
24AT-01	Astra 24 — Metallic Black* Fresh air adaptor / 130CFM blower / in-wall variable speed control Included	\$ 3,312.75

REQUIRED

24ATFA-12	Clean Face Surround – Metallic Black*	\$ 177.68
KG540	Square Vent Kit	\$ 92.70
UCAC8	8" Insulated Duct, 10 ft. – 2 are required	\$ 136.27

ADDITIONAL OPTIONS

SU250	Hot Air Distribution Kit — 245 CFM blower included	\$ 429.78
UCAC5	5" Insulated Duct, 25 ft. – Required with the installation of a SU250	\$ 129.21
UPEA4	Fresh Air Kit	\$ 67.61
6CON	Prefabricated Chimney to Liner Adaptor	\$ 76.51

Heat Capacity:	Up to 1,500 ft ²
Maximum Heat Output:	Up to 75,000 BTUs
EPA Firebox Size:	2.4 ft ³
Chimney:	6" UL 103 / ULC S629 refer to the manual for the complete list.
Certifications:	EPA 2020, 28 & 5G Opt 3,UL 127-2011 / ULC S610-M87
Emissions:	1.8 g/hr (crib wood)
Glass dimensions:	24" X 13½"



PRODUCT CODE

MRSP

32AT-01	Astra 32 — Metallic Black* Fresh air adaptor / 130CFM blower / in-wall variable speed control Included	\$ 3,996.40
---------	--	-------------

REQUIRED

	3238ATFA-11	Traditional Surround – Metallic Black*	\$ 309.00
--	-------------	--	-----------

ADDITIONAL OPTIONS

3238SF_FS	Fire Screen Rectangular Door	\$ 290.00
SU250	Hot Air Distribution Kit – 245 CFM blower included	\$ 429.78
UCAC5	5" Insulated Duct, 25 ft. – Required with the installation of a SU250	\$ 129.21
UPEA4	Fresh Air Kit	\$ 67.61
6CON	Prefabricated Chimney to Liner Adaptor	\$ 76.51

Heat Capacity:	Up to 2,000 ft ²
Maximum Heat Output:	Up to 100,000 BTUs
EPA Firebox Size:	3.2 ft ³
Chimney:	6" UL 103 / ULC S629 refer to the manual for the complete list.
Certifications:	EPA 2020, 28 & 5G Opt 3,UL 127-2011 / ULC S610-M87
Emissions:	1.5 g/hr (crib wood)
Glass dimensions:	22%"X 15½"



PRODUCT CODE		MIKSP
32AT-01	Astra 32 — Metallic Black* Fresh air adaptor / 130 CFM Blower / In-wall variable speed control Included	\$ 3,996.40
	REQUIRED	
3238AFTA-12	Clean Face Surround - Metallic Black*	\$ 216.30
	CLEAN FACE OPTION 1	
KG540	Square Vent Kit	\$ 92.70
UCAC8	8" Insulated Duct, 10 ft. – 2 are required	\$ 136.27
	CLEAN FACE OPTION 2	
LV32	Linear Vent Kit — <i>Flexible duct(2)</i> included	\$ 375.00
	ADDITIONAL OPTIONS	
3238SF_FS	Fire Screen Rectangular Door	\$ 290.00
SU250	Hot Air Distribution Kit — 245 CFM blower included	\$ 429.78
UCAC5	5" Insulated Duct, 25 ft. — Required with the installation of a SU250	\$ 129.21
UPEA4	Fresh Air Kit	\$ 67.61
6CON	Prefabricated Chimney to Liner Adaptor	\$ 76.51

Heat Capacity:	Up to 2,000 ft ²
Maximum Heat Output:	Up to 100,000 BTUs
EPA Firebox Size:	3.2 ft ³
Chimney:	6" UL 103 / ULC S629 refer to the manual for the complete list.
Certifications:	EPA 2020, 28 & 5G Opt 3,UL 127-2011 / ULC S610-M87
Emissions:	1.5 g/hr (crib wood)
Glass dimensions:	22‰"X 15½"



PRODUCT CODE

MRSP

38AT-01	Astra 38 – Metallic Black*	\$ 4,408.40
JOAT-01	Fresh air adaptor / 260CFM blowers / in-wall variable speed control Included	Ş 4,400.40

REQUIRED

3238ATFA-11	Traditional Surround – Metallic Black*	\$ 309.00
	ADDITIONAL OPTIONS	
3238SF_FS	Fire Screen Rectangular Door	\$ 290.00
SU250	Hot Air Distribution Kit – 245 CFM blower included	\$ 429.78
UCAC5	5" Insulated Duct, 25 ft. – Required with the installation of a SU250	\$ 129.21
UPEA4	Fresh Air Kit	\$ 67.61
6CON	Prefabricated Chimney to Liner Adaptor	\$ 76.51

Heat Capacity:	Up to 2,500 ft ²
Maximum Heat Output:	Up to 125,000 BTUs
EPA Firebox Size:	3.8 ft ³
Chimney:	6" UL 103 / ULC S629 refer to the manual for the complete list.
Certifications:	EPA 2020, 28 & 5G Opt 3,UL 127-2011 / ULC S610-M87
Emissions:	1.8 g/hr (crib wood)
Glass dimensions:	22% "X 15½"

*Stove Bright 6309 Metallic Black.



PRODUCT CODE		MRSP
38AT-01	Astra 38 — Metallic Black* Fresh air adaptor / 130 CFM Blower / In-wall variable speed control Included	\$ 3,996.40
	REQUIRED	
3238AFTA-12	Clean Face Surround – Metallic Black*	\$ 216.30
	CLEAN FACE OPTION 1	
KG540	Square Vent Kit	\$ 92.70
UCAC8	8" Insulated Duct, 10 ft. – 2 are required	\$ 136.27
	CLEAN FACE OPTION 2	
LV32	Linear Vent Kit – <i>Flexible duct(2)</i> included	\$ 375.00
	ADDITIONAL OPTIONS	
3238SF_FS	Fire Screen Rectangular Door	\$ 290.00
SU250	Hot Air Distribution Kit – 245 CFM blower included	\$ 429.78
UCAC5	5" Insulated Duct, 25 ft. – Required with the installation of a SU250	\$ 129.21
UPEA4	Fresh Air Kit	\$ 67.61
6CON	Prefabricated Chimney to Liner Adaptor	\$ 76.51

Heat Capacity:	Up to 2,500 ft ²
Maximum Heat Output:	Up to 125,000 BTUs
EPA Firebox Size:	3.8 ft ³
Chimney:	6" UL 103 / ULC S629 refer to the manual for the complete list.
Certifications:	EPA 2020, 28 & 5G Opt 3,UL 127-2011 / ULC S610-M87
Emissions:	1.8 g/hr (crib wood)
Glass dimensions:	22‰"X 15½"



THODOCT CODE		ivit(S)
18FN-01	Fusion 18 — Metallic Black* Built-in BBQ grills / 110 CFM blowers / variable speed control Included	\$ 2,295.36
	REQUIRED	

negomes		
18FNFA-01-34	Surround 34" X 23"	\$ 203.96
18FNFA-01-36	Surround 36″ X 24″	\$ 220.50
18FNFA_ML42-01	Special Overlay 42" X 30" X 1" order with 18FNFA-01-36	\$ 165.38
18FNFA-01SS-34	Surround With Brushed Steel Overlay 34" X 23"	\$ 369.34
18FNFA-01SS-36	Surround With Brushed Steel Overlay 36" X 24"	\$ 385.88

Heat Capacity:	Up to 1,500 ft ²
Maximum Heat Output:	Up to 75,000 BTUs
EPA Firebox Size:	1.8 ft ³
Liner:	5″
Certifications:	EPA 28 & 5G Opt 3,UL 1482 / ULC S628
Emissions:	1.9 g/hr (crib wood)
Glass dimensions:	22¾" X 12¼"

Free Standing Stove – Novo Series



PRODUCT CODE

PRODUCT CODE		MRSP
18NV-11	Novo 18 — Cast Iron — Metallic Black* Cast iron panels / 130CFM blower / variable speed control Included	\$ 2,728.00
18NV-21	Novo 18 — Soapstone — Metallic Black* Soapstone panels / 130CFM blower / variable speed control Included	\$ 2,728.00

ADDITIONAL OPTIONS

18NVPD_01	Elevated Podium	\$ 380.00
UPEA4	Fresh Air Kit	\$ 67.61
ADP4_NV	Adaptor For Fresh Air Kit	\$ 57.75

CHOICE OF K-LISTED MATERIAL REQUIRED

SOAPSTONE	REVERSIBLE CAST IRON PANEL	
	FLUTED DESIGN	BRICK DESIGN

Heat Capacity:	Up to 1,000 ft ²
Maximum Heat Output:	Up to 65,000 BTUs
EPA Firebox Size:	1.8 ft ³
Chimney:	6" UL 103 / ULC S629 refer to the manual for the complete list.
Certifications:	EPA 2020, 28 & 5G Opt 3,UL 127-2011 / ULC S627 UL 737
Emissions:	1.9 g/hr (crib wood)
Glass dimensions:	17¼" X 11‰"

Free Standing Stove – Novo Series



PRODUCT CODE

MRSP

24NV-11	Novo 24 — Cast Iron — Metallic Black* Cast iron panels / 130CFM blower / variable speed control Included	\$ 3,176.00
24NV-21	Novo 24 — Soapstone — Metallic Black* Soapstone panels / 130CFM blower / variable speed control Included	\$ 3,176.00

ADDITIONAL OPTIONS

24NVPD_01	Elevated Podium	\$ 420.00
UPEA4	Fresh Air Kit	\$ 67.61
ADP4_NV	Adaptor For Fresh Air Kit	\$ 57.75

CHOICE OF K-LISTED MATERIAL REQUIRED

SOAPSTONE	REVERSIBLE CAST IRON PANEL	
	FLUTED DESIGN	BRICK DESIGN

Heat Capacity:	Up to 1,500 ft ²
Maximum Heat Output:	Up to 75,000 BTUs
EPA Firebox Size:	2.4 ft ³
Chimney:	6" UL 103 / ULC S629 refer to the manual for the complete list.
Certifications:	EPA 2020, 28 & 5G Opt 3,UL 127-2011 / ULC S627 UL 737
Emissions:	1.8 g/hr (crib wood)
Glass dimensions:	23¼″ X 12¾″

Free Standing Stove – Novo Series



PRODUCT CODE MRSP 38NV-11 Novo 38 – Cast Iron – Metallic Black*
Cast iron panels / 260CFM blowers / variable speed control Included \$ 3,640.00 38NV-21 Novo 38 – Soapstone – Metallic Black*
Soapstone panels / 260CFM blowers / variable speed control Included \$ 3,640.00

ADDITIONAL OPTIONS

38NVPD_01	Elevated Podium	\$ 460.00
UPEA4	Fresh Air Kit	\$ 67.61
ADP4_NV	Adaptor For Fresh Air Kit	\$ 57.75

CHOICE OF K-LISTED MATERIAL REQUIRED

SOAPSTONE	REVERSIBLE CAST IRON PANEL	
	FLUTED DESIGN	BRICK DESIGN

Heat Capacity:	Up to 2,500 ft ²
Maximum Heat Output:	Up to 125,000 BTUs
EPA Firebox Size:	3.8 ft ³
Chimney:	6" UL 103 / ULC S629 refer to the manual for the complete list.
Certifications:	EPA 2020, 28 & 5G Opt 3,UL 127-2011 / ULC S627 UL 737
Emissions:	1.85 g/hr (crib wood)
Glass dimensions:	22%"X 15½"