


supr^{me}



SUPREME'S EXCLUSIVE FEATURES



STAINLESS STEEL FIREBOX

Our fireboxes are made of high grade stainless steel which allows a quicker heat transfer, more durability and less maintenance.



PATENTED AUTOMATIC AIR CONTROL (Patent # US 7/325,541)

This innovative mechanism provides automatic means to gradually reduce the combustion air to the user's selected burn rate.



CHIMNEY SWEEPING CAP

This unique feature allows for easy access when cleaning the chimney without having to remove any components of the firebox.



REMOVABLE ASH LIP

Clean and convenient – this removable accessory prevents the ashes from falling on the hearth.



EASY-LIGHT MECHANISM (Patent Pending # GB13056.0)

This mechanism is linked to the automatic air control to provide a controlled amount of additional primary air inside the firebox through the grate of the ashtray to help start a fire quickly and without intervention.



BAFFLE DESIGN & SECONDARY AIR (Patent # 9/476,593)

The secondary air enters the firebox through a perforated baffle in a downward direction to mix with the rising gases of the wood to create a unique arrangement of natural and appealing flames that prolongs the combustion, increases the efficiency and reduces the emissions.



BUILT-IN BARBECUE GRILL

A barbecue grill is stored inside the firebox to allow users to cook their favourite meals when the wood is reduced to embers.



UNIQUE DOOR OPERATION

Our unique door handle has an ergonomic design that is durable, user-friendly and allows the door to remain hermetically shut by means of a latch for a secure operation.

DUET


See-Through Fireplace

The Duet is the industry's largest, most efficient and cleanest burning see-through fireplace. Both doors are functional and offer a generous view of the fire. Backed with a patented technology, this product comes fully equipped with two heat-activated blowers, a sealed ash pan and a built-in barbecue grill that allows its user to cook their favourite meals when the wood is reduced to embers.



Duet 4 Seasons (Indoor/Outdoor Installation)

TECHNICAL SPECIFICATIONS



Heat Capacity:	2,000 square feet
Heat Output:	100,000 BTUs/hour (based on a 30 lbs load)
Size of Firebox:	3.1 cubic feet (EPA)
Glass Viewing Area:	332 square inches per door
Chimney:	6 inch (please refer to the owner's manual for a complete list)
Tested & Approved:	EPA 28 & 5G option 3, CSA B-415.1.10, UL 127-2011 and ULC S610-M87
Emissions:	3.6 g/hour with EPA method 28 & 5G 2.2 g/hour with CSA method B-415.1.10
Maximum Log Size:	24 inches

DUET PRICE LIST

PRODUCT CODE	DESCRIPTION	SUGGESTED RETAIL
DT-01	Duet, EPA see-through woodburning fireplace in metallic black	\$ 4 095.00
DT-02	Duet, EPA see-through woodburning fireplace in charcoal	\$ 4 095.00
UCAC8	Gravity Kit: 8 inch insulated duct, 10 feet long (two are required for the installation of this fireplace)	\$ 126.00
OPTIONS		
DT2317	Block-Off Shield for Four Seasons Configuration (indoor/outdoor installation)	\$ 68.25
SU250	Hot Air System 245 CFM	\$ 397.39
UCAC5	5 inch insulated duct, 25 feet long for hot air system	\$ 119.48
UPEA4	Fresh Air Kit	\$ 62.51
ADP4	Adaptor for Fresh Air Kit	\$ 55.00
6CON	Connector from prefabricated chimney to liner	\$ 70.74

Effective as of March 1st, 2017



FUSION 24

Fireplace Insert

Introducing the Fusion, a new series of inserts that combines extreme performance with exceptional design and elegance. Available in two firebox sizes with different surround options, this insert can be installed on a 5 inch liner and retrofit into a factory-built fireplace.



TECHNICAL SPECIFICATIONS

Heat Capacity:	2,000 square feet
Heat Output:	90,000 BTU
Size of Firebox:	2.4 cubic feet
Certifications:	EPA 28 & 5G option 3, CSA B-415.1.10, UL 1482 and ULC S628
Chimney:	5 inch liner
Tested & Approved:	This insert can be installed inside a factory built fireplace.
Patent Numbers:	7/325,541, 9/476,593, 9/488,375
Emissions:	4.4 g/h
Glass Size:	330 square inches
Log Size:	18 inches

FUSION 24 PRICE LIST

PRODUCT CODE	DESCRIPTION	SUGGESTED RETAIL
FN-01	Fusion 24, fireplace insert in metallic black	\$ 2 186.06
FN-02	Fusion 24, fireplace insert in charcoal	\$ 2 186.06
OPTIONS <i>(select one of the following face assemblies to complete order)</i>		
FNFA-01-38	Fusion 24 face assembly in metallic black (38" x 24")	\$ 194.25
FNFA-01- 40	Fusion 24 face assembly in metallic black (40" x 26")	\$ 210.00
FNFA-01- 42	Fusion 24 face assembly in metallic black (42" x 28")	\$ 225.75
FNFA-02-38	Fusion 24 face assembly in charcoal (38" x 24")	\$ 194.25
FNFA-02- 40	Fusion 24 face assembly in charcoal (40" x 26")	\$ 210.00
FNFA-02-42	Fusion 24 face assembly in charcoal (42" x 28")	\$ 225.75
FNFA-01SS-38	Fusion 24 face assembly in metallic black and brushed stainless steel (38" x 24")	\$ 351.75
FNFA-01SS-40	Fusion 24 face assembly in metallic black and brushed stainless steel (40" x 26")	\$ 367.50
FNFA-01SS-42	Fusion 24 face assembly in metallic black and brushed stainless steel (42" x 28")	\$ 383.25
FNFA-02SS-38	Fusion 24 face assembly in charcoal and brushed stainless steel (38" x 24")	\$ 351.75
FNFA-02SS-40	Fusion 24 face assembly in charcoal and brushed stainless steel (40" x 26")	\$ 367.50
FNFA-02SS-42	Fusion 24 face assembly in charcoal and brushed stainless steel (42" x 28")	\$ 383.25
ADDITIONAL OPTION		
CAPVPBN	Brushed Stainless Steel Door (capping only)	\$ 260.31

Effective as of March 1st, 2017



FUSION 18

Fireplace Insert



TECHNICAL SPECIFICATIONS

Heat Capacity:	1,500 square feet
Heat Output:	75,000 BTU
Size of Firebox:	1.8 cubic feet
Certifications:	EPA 28R, ASTM E2780, ASTM E2515, CSA B415.1-10, UL 1482 and ULC S628
Chimney:	5 inch liner
Tested & Approved:	This insert can be installed inside a factory built fireplace.
Patent Numbers:	7/325,541, 9/476,593, 9/488,375
Emissions:	1.9 g/h
Glass Size:	240 square inches
Log Size:	16-18 inches



The Fusion series comes available in the following colors:



*Metallic Black with
Brushed Stainless Steel Overlay*



Metallic Black



*Charcoal with Brushed
Stainless Steel Overlay*



Charcoal

FUSION 18 PRICE LIST

Effective as of March 1st, 2017

PRODUCT CODE	DESCRIPTION	SUGGESTED RETAIL
18FN-01	Fusion 18, fireplace insert in metallic black	\$ 2 081.96
18FN-02	Fusion 18, fireplace insert in charcoal	\$ 2 081.96
OPTIONS <i>(select one of the following face assemblies to complete order)</i>		
18FNFA-01-34	Fusion 18 face assembly in metallic black (34" x 23")	\$ 185.00
18FNFA-01- 36	Fusion 18 face assembly in metallic black (36" x 24")	\$ 200.00
18FNFA-02-34	Fusion 18 face assembly in charcoal (34" x 23")	\$ 185.00
18FNFA-02-36	Fusion 18 face assembly in charcoal (36" x 24")	\$ 200.00
18FNFA-01SS- 34	Fusion 18 face assembly in metallic black and brushed stainless steel (34" x 23")	\$ 335.00
18FNFA-01SS- 36	Fusion 18 face assembly in metallic black and brushed stainless steel (36" x 24")	\$ 350.00
18FNFA-02SS- 34	Fusion 18 face assembly in charcoal and brushed stainless steel (34" x 23")	\$ 335.00
18FNFA-02SS-36	Fusion 18 face assembly in charcoal and brushed stainless steel (36" x 24")	\$ 350.00

GALAXY

Zero-Clearance Fireplace

The award winning Galaxy is the industry's largest EPA approved zero clearance fireplace. This unique product proposes a versatile design that is offered in different surround options to suit all decors. Among its many features, the Galaxy comes completely assembled with a heat-activated blower, a sealed ash pan, a built-in barbecue grill and a patented automatic air control.



TECHNICAL SPECIFICATIONS

Heat Capacity:	2,500 square feet
Heat Output:	100,000 BTUs/hour (based on a 33 lbs load of wood)
Size of Firebox:	3.1 cubic feet
Chimney:	6 inch listed to UL 103/ULC S629
Tested & Approved:	EPA 28 & 5G option 3, CSA B-415.1.10, UL 127-2011 and ULC S610-M87
Emissions:	3.5 g/hour with EPA method 28 & 5G 2.2 g/hour with CSA method B-415.1.10
Minimum Burn Rate:	0.83 kg/hour
Maximum Log Size:	23 inches



GALAXY PRICE LIST

PRODUCT CODE	DESCRIPTION	SUGGESTED RETAIL
GY-01	Galaxy, EPA zero clearance fireplace in metallic black	\$ 3 400.00
GY-02	Galaxy, EPA zero clearance fireplace in charcoal	\$ 3 400.00
OPTIONS <i>(select one of the following face assemblies to complete order)</i>		
GYFA-111	Galaxy classic face assembly in metallic black	\$ 195.00
GYFA-112	Galaxy semi-classic face assembly in metallic black	\$ 195.00
GYFA-113	Galaxy clean face assembly in metallic black	\$ 195.00
GYFA-211	Galaxy classic face assembly in charcoal	\$ 195.00
GYFA-212	Galaxy semi-classic face assembly in charcoal	\$ 195.00
GYFA-213	Galaxy clean face assembly in charcoal	\$ 195.00
UCAC8	Gravity Kit: 8 inch insulated duct, 10 feet long (two are required for the installation of the clean face assembly)	\$ 126.00
ADDITIONAL OPTIONS		
SU250	Hot Air System 245 CFM	\$ 397.39
UCAC5	5 inch insulated duct, 25 feet long (for Hot Air System)	\$ 119.48
UPEA4	Fresh Air Kit	\$ 62.51
ADP4	Adaptor for Fresh Air Kit	\$ 55.00
CAPSPBN	Brushed Stainless Steel Door Capping	\$ 145.00
6CON	Connector from prefabricated chimney to liner	\$ 70.74

Effective as of March 1st, 2017



Galaxy shown with classic louvers in metallic black

VISION

See-Through Stove



Vision shown in metallic black with brushed stainless steel side panels

TECHNICAL SPECIFICATIONS

Heat Capacity:	2,000 square feet
Heat Output:	100,000 BTUs/hour (based on a 30 lbs load of wood)
Size of Firebox:	3.1 cubic feet (EPA)
Chimney:	6 inch (please refer to the owner's manual for a complete list)
Tested & Approved:	EPA 28 & 5G option 3, CSA B-415.1.10, UL 127-2011 and ULC S610-M87
Emissions:	3.6 g/hour with EPA method 28 & 5G 2.2 g/hour with CSA method B-415.1.10
Maximum Log Size:	24 inches



The award winning Vision is the industry's first and only EPA approved see-through stove. Offered in a variety of different colours, this product is ideal for an open concept home. Both doors are functional and offer a generous view of the fire. Backed with a patented technology, the Vision comes fully equipped with two heat-activated blowers, a sealed ash pan and a built-in barbecue grill that allows its user to cook their favourite meals when the wood is reduced to embers.

Vision Stove available in the following colors:



Almond



Metallic Black



Charcoal



Honey-Glow Brown



Mojave Red



Stainless Steel

VISION PRICE LIST

PRODUCT CODE	DESCRIPTION	SUGGESTED RETAIL
VI-01	Vision, EPA see-through stove in metallic black	\$ 3 780.00
VI-02	Vision, EPA see-through stove in charcoal	\$ 3 780.00
VI-41	Vision, EPA see-through stove in metallic black with mojave red	\$ 3 780.00
VI-51	Vision, EPA see-through stove in metallic black with almond	\$ 3 780.00
VI-61	Vision, EPA see-through stove in metallic black with honey-glow brown	\$ 3 780.00
VI-SS1	Vision, EPA see-through stove in metallic black and brushed stainless steel	\$ 4 200.00

Effective as of March 1st, 2017

DISPLAY PROGRAM

BURNING UNIT

Receive a 100% burn credit for each SUPREME product installed, finished and functional in a dealer's showroom.

CONDITIONS

1. The fireplace must be built-in and functional in the showroom.
2. A **"Burn/Static Display Credit Request"** form, with a photograph of the unit burning, a serial number, and a sales rep's signature must be submitted.
3. The dealer must purchase 4 additional fireplaces throughout the next 12 months after installing the burning unit. The fireplaces can be a mix of product.

Once a picture of the unit burning is submitted, a 50 % burn credit will be issued. If the dealer purchases 4 additional units during the following 12 months, a credit for the remaining balance of the burn unit will be issued. A displaying unit does not qualify as a purchase towards a 100% burn credit.

STATIC UNIT

Receive up to 20 % additional credit for any static display of a SUPREME product in a dealer's showroom.

CONDITIONS

1. The unit must be built-in and well presented in the showroom.
2. A **"Burn/Static Display Credit Request"** form, with a photograph of the unit, a serial number, and a sales rep's signature must be submitted.

Once a picture of the unit built in to the showroom is submitted, a 20 % static display credit will be issued.

